

**IN THE CLAIMS**

Please amend claims 12 and 17 as noted below. For the Examiner's convenience, all pending claims are presented, with those not being amended at this time marked "reiterated."

1. (Reiterated) A method for treating diabetes mellitus, said method comprising contacting a biological system with an effective amount of a compound which inhibits binding of CREB to CBP.
2. (Reiterated) A method according to claim 1 wherein said treatment of diabetes mellitus ameliorates hyperglycemia.
3. (Reiterated) A method according to claim 2 wherein gluconeogenesis is modulated.
4. (Reiterated) A method according to claim 3 wherein transcription of PEPCK is inhibited.
5. (Reiterated) A method according to claim 2 wherein transcription of glucagon gene is inhibited.
6. (Reiterated) A method according to claim 1 wherein said biological system is an intact organism.
7. (Reiterated) A method according to claim 1 wherein said contacting is carried out by oral, intravenous, subcutaneous, intramuscular or intracutaneous mode of administration.

12. (Amended) A method for treating diabetes mellitus, comprising contacting a biological system with an effective amount of a compound **[identified by the method of claim 8]** which disrupts complex comprising cyclic AMP response element binding protein (CREB) and CREB binding protein (CBP), said compound identified by a method comprising:

(a) contacting a modified host cell with a test compound, wherein said modified host cell comprises:

a first fusion protein comprising a GAL4 DNA binding domain, operatively associated with the kinase-inducible domain (KID) of CREB,

a second fusion protein comprising an activation domain, operatively associated with the CREB binding domain (KIX) of CBP, and

a reporter construct comprising a GAL4 response element operatively linked to a reporter gene; and

(b) selecting those test compounds which cause reduced expression of the reporter gene product, wherein said compounds are identified as disrupting complex comprising CREB and CBP.

17. (Amended) A method for treating diabetes mellitus, comprising contacting a biological system with an effective amount of a compound **[identified by the method of claim 13]** which disrupts complex comprising cyclic AMP response element binding protein (CREB) and CREB binding protein (CBP), said compound identified by a method comprising:

(a) contacting a modified host cell with a test compound, wherein said modified host cell comprises:

a first fusion protein comprising an activation domain, operatively associated with the kinase-inducible domain (KID) of CREB,

a second fusion protein comprising a GAL4 DNA binding domain, operatively associated with the CREB binding domain (KIX) of CBP, and